

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A word importance calculation method for calculating the importance of words contained in a document set, whereby the difference between the word distribution in a subset of ~~whole documents which consists of~~ every document containing a specified word and the word distribution in ~~the set~~ a set of whole documents including said subset is used to calculate the importance of the word.

2. (original) A word importance calculation method, as claimed in Claim 1, wherein:

said difference is determined by comparing the distance d between said subset and said set of whole documents with the distance d' , or the estimated value of d' , between another subset of documents which contain substantially the same number of words as said subset of documents and are randomly selected from said ~~set~~ subset of whole documents, and said set of whole documents.

3. (currently amended) A word importance calculation method, as claimed in Claim 2, wherein:

the distance d between the two document sets is calculated by ~~using the word distribution in each document set, that is to say~~ using the probability of occurrence of each word in each of said document set.

4. (currently amended) A word importance calculation method, as claimed in Claim 2, wherein:

~~if in case that~~ the number of documents containing said word is larger than a prescribed number, a preset number of documents are extracted from the said subset of whole documents by random sampling, and the difference between the extracted set of documents and said set of whole documents is used instead of the difference between the original subset of documents and the set of whole documents.

5. (currently amended) A document retrieval interface having a function to display on a screen words characterizing a document set, wherein the importance of each word occurring in ~~the set~~ a set of whole documents is calculated using the difference between the word distribution in the subset of ~~whole documents~~ every document containing the word and the word distribution in the set of whole documents including said subset, and the importance is brought to bear on the selection, arrangement or coloring of the words displayed on the screen.

6. (original) A document retrieval interface having a function to display on a

screen words characterizing a document set, wherein the importance of each word occurring in the document set obtained as a result of retrieval is calculated using the difference between the word distribution in the subset of documents out of the document set obtained as a result of that retrieval containing that word and the word distribution in the document set obtained as a result of that retrieval, and the importance is brought to bear on the selection, arrangement or coloring of the words displayed on the screen.

7. (currently amended) A word dictionary construction method by extracting important words from a document set in accordance with rules given in advance, wherein the importance of each word occurring in a set of whole documents is calculated using the difference between a subset of ~~whole documents~~every document containing the word and the word distribution in the set of whole documents including said subset, and words to be extracted are selected on the basis of that importance.

8. - 9. (canceled)

10. (new) A word importance calculation method according to claim 1, said difference being defined by

$$\sum_{i=1}^n k_i \log \frac{k_i}{\#D(W)} - \sum_{i=1}^n k_i \log \frac{K_i}{\#D_0}$$

D(W) being said subset,

D_0 being the set of the whole document,

k_i being a frequency of an occurrence of the specified word in $D(W)$,

K_i being a frequency of an occurrence of the specified word in $D(0)$.